


1/31



2/31





Fig. 2

3/31

EDL, fast SOL, slow


a All muscles are denervated



Not stimulated

Stimulated, 100 Hz after
DNA injection

b All muscles are stimulated directly with 100 Hz
after DNA injection



Innervated

Denervated


c All muscles have been active



Nerve stimulation after
DNA injection

Direct muscle stimulation
after DNA injection

d All muscles have been stimulated directly with 100 Hz



Stimulated 10 min. prior
to DNA injection

Stimulated immediately
after DNA injection

Fig. 3

4/31




Fig. 4

5/31




Fig. 5

6/31




Fig. 6

7/31




Fig. 7

8/31




Fig. 8

9/31




Fig. 9

BEST AVAILABLE COPY

10/31




Fig. 10

11/31




Fig. 11

12/31




Fig. 12

13/31




Fig. 13a




Fig. 13b

14/31




Fig. 14

15/31




Fig. 15




Fig. 16

16/31



Fig. 17A



Fig. 17B



Fig. 17C



Fig. 17D

BEST AVAILABLE COPY

17/31




Fig. 17E



Fig. 17F

BEST AVAILABLE COPY

18/31




Fig. 18A



Fig. 18B

19/31




Fig. 18C



Fig. 18D

20/31




Fig. 19

21/31




Fig. 20

22/31




Fig. 21A

23/31




Fig. 21B

24/31




Fig. 22




Fig. 23

25/31

Titer of serum IgG1 against MPB70




Fig. 24

26/31

**Titer of serum antibodies against MPB70
 after 8 weeks**





Fig. 25

27/31



28/31




Fig. 27

Luciferase activity after second immunization with 85B and luciferase cDNA. Low values indicate strong cellular immune response (efficient killing of transfected cells)




Fig. 28

29/31

**Titer of serum antibodies 13 weeks post protein
 injection and 5 weeks post DNA injection**




Fig. 29

30/31

**Titer of serum antibodies against MPB70
after 8 weeks**




Fig. 30

31/31

